

GOVERNMENT OF ANDHRA PRADESH
A B S T R A C T

Establishment - Irrigation & CAD Department – APES - Sri L.Narayana Reddy, Chief Engineer - Fixation of pay under A.P. Revised Scales of Pay Rules, 2005 - Orders - Issued.

=====

IRRIGATION & CAD (SER.II) DEPARTMENT

G.O.Rt.No.1203

Dated: 9 .09-2008.
Read the following:-

1. G.O. (P) No.180, Finance (PC.I) Dept., Dated 29.6.2006.
2. From the Engineer-in-Chief (AW) Irrigation & CAD Dept., Letter Rc.No.ENC/B3/596/ 2006, Dated:8-7-2008.

<<>>

ORDER:

1. In the ref. 2 nd read above, the Engineer-in-Chief (AW) Irrigation & CAD Department, furnished proposals for fixation of pay of Sri.L.Narayana Reddy, Reddy, Chief Engineer under F.R. 22 (a) (i) from the date of assumption of charge as Chief Engineer, w.e.f.13.10.2005, as per G.O. (P) No. 180, Dated:29.6.2006.

3. Accordingly, the pay of Sri L.Narayana Reddy, Chief Engineer is revised and fixed is as follows:-

1	Existing Pay in the cadre of S.E in the RPS 2005 in the time Scale of 18025-30765 as on 1.11.2004 AN	Rs. 26,300/- + 190 FPI
2	Date of promotion to the cadre of C.E	13.10.2005 A.N.
3	Scale of pay of Chief Engineer in RPS-2005 vide G.O (p) No.180.Dt.29-6-2006	23500-700-27000- 750-30000-765-30765
4	Pay to be fixed in the CEs Scale of pay in the next stage as on 14.10.2005 FN under FR 22 (a) (i)	Rs.26,300/- + 700/- ----- Rs.27,000/- + 190 FPI
B) PAY FIXATION UNDER FR 22 (B) FROM THE DATE OF INCREMENT IN THE LOWER CADRE OF SUPERINTENDING ENGINEER W.E.F. 1.11.2005		
1.	Release of annual increment in the lower cadre i.e., S.E w.e.f.1.11.2005	Rs.26,300/- +190 FPI toRs.27000/-+190 FPI
2.	Add Notional increment under FR-22 (B) in the lower cadre of SE (ord)	Rs 750/-
3	Notional Pay arrived	Rs.27750/-+190 FPI
4	Scale of Pay in the cadre of CE in RPS 2005	Rs.23,500-30765
5	Pay fixed w.e.f., 1.11.2005 in the next stage above in the cadre of CE	Rs.28,500 + 190 FPI
6	Pay after release of AGI due on 1.11.2006	Rs.28.500/-+750- 29,250/+190 FPI
7	Pay after release of AGI due on 1.11.2007	Rs.29250+750- 30,000/-+190 FPI

4. The Engineer-in-Chief (AW), Irrigation & CAD Department, Hyderabad is requested to draw and disburse the arrears, if any due to the Chief Engineer.

5. If the pay now fixed in Para 3 above, is afterwards found to be in excess of (p.t.o)

that to which the Chief Engineer is actually entitled due to erroneous fixation of pay, the same will be recovered.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

S.P.TUCKER,
PRINCIPAL SECRETARY TO GOVERNMENT.

To
The Engineer-in-Chief (AW), Irrigation & CAD Department,
Hyderabad.(W.E.Service Register)
Copy to: The Accountant General, A.P., Hyderabad.
The PAO, Hyderabad.
SF / SC.

//Forwarded: : By Order//

SECTION OFFICER.